

JEOPARDY!

Instructions

Board

Board

\$0

\$0

\$0

\$0

Reset

Instructions

- To start a new game, click the “reset” button on the board slide. This will reset the board, set each player’s score to 0, and randomly move the Daily Double.
- Click “Adj Scores” from the board to manually change scores.
- Click on the lights at the bottom to start a countdown (click below to change).
- Incorrect response: Click the “incorrect” button if the player responds incorrectly, and their score will subtract.
- Correct response: Press the “correct” button if the player responds correctly, and the correct response will then be shown.
 - To skip viewing the correct response, check the box below
- If no one gets the question correct, press the arrow to go to the next slide (or return to the board if the checkbox below is checked).
- **Troubleshooting:**
 - Do not delete the value shape (e.g. \$400) from any slide. If you don’t like it, you can move it off the screen, but DON’T DELETE IT, and don’t change its text!!!
 - Do not delete question slides and copy them in from somewhere else. You can do this to replace “answer” slides, but just not question slides (unless you re-apply the hyperlinks to the board)
 - If none of the functions are working, see [“Macro Troubleshooting”](#)

Adjust Countdown Timer

- ☒ Enable Daily Doubles
- ☐ Return to Board on correct response

Import from Excel Template

(Template available [online](#))

Events	Watch out for Grandma!	Reducing medication errors	Double check to protect	USP <800>	Potpourri
\$100	\$100	\$100	\$100	\$100	\$100
\$200	\$200	\$200	\$200	\$200	\$200
\$300	\$300	\$300	\$300	\$300	\$300
\$400	\$400	\$400	\$400	\$400	\$400
\$500	\$500	\$500	\$500	\$500	\$500

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$100

**Patient safety event that
resulted in harm to a patient**

Events



Board

\$0

\$0

\$0

\$0

\$100

What is an adverse event?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**An event that reaches the
patient but did not cause
harm**

Events



Board

\$0

\$0

\$0

\$0

\$200

What is a no-harm event?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$300

**Patient safety event that did
not reach the patient**

Events



Board

\$0

\$0

\$0

\$0

\$300

What is a close call or good catch?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**A comprehensive
systematic analysis used to
identify the factors that
underlie a sentinel event**

Events



Board

\$0

\$0

\$0

\$0

\$400

**What is a root cause
analysis?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$500

**An occurrence that results
in either severe temporary
harm that required
interventions to sustain life,
permanent harm, or death**

Events



Board

\$0

\$0

\$0

\$0

\$500

What is a sentinel event?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$100

**Diphenhydramine,
meclizine, and
promethazine are examples
of this therapeutic class that
should be avoided in older
adults**

Watch out for Grandma!



Board

\$0

\$0

\$0

\$0

\$100

What are antihistamines?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**This vaccine is used to
prevent shingles and
postherpetic neuralgia in
those age 50 and older**

Watch out for Grandma!



Board

\$0

\$0

\$0

\$0

\$200

**What is the zoster vaccine
(recombinant) (Shingrix®)?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$300

Although often used in managing delirium, this therapeutic drug class carries a black box warning for increased morbidity and mortality in elderly patients with dementia

Watch out for Grandma!



Board

\$0

\$0

\$0

\$0

\$300

What are antipsychotics?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**Characterization of
inattention, disorganized
thinking, acute onset, and
fluctuating consciousness**

Watch out for Grandma!



Board

\$0

\$0

\$0

\$0

\$400

What is delirium?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$500

**This property of opioids
commonly leads to urinary
retention in elderly patients**

Watch out for Grandma!



Board

\$0

\$0

\$0

\$0

\$500

What is an anticholinergic?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$100

**Misplacement of this
number after a decimal
point or absence of this
number before a decimal
point can lead to an
inappropriate dose**

Reducing medication errors



Board

\$0

\$0

\$0

\$0

\$100

What is the number zero?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**The use of this technology
has helped reduce errors
when administering
medications to a patient**

Reducing medication errors



Board

\$0

\$0

\$0

\$0

\$200

What is barcode scanning?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$300

**Fentanyl patches should be
used in these types of
patients who have
previously taken high doses
of prescription opioids**

Reducing medication errors



Board

\$0

\$0

\$0

\$0

\$300

What is long-term chronic pain?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**To reduce the risk of
intrathecal administration
and fatal neurological
effects, vinca alkaloids
should be dispensed in this**

Reducing medication errors



Board

\$0

\$0

\$0

\$0

\$400

What are minibags?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$500

**The National Coordinating
Council for Medication Error
Reporting and Prevention
defines this category as an error
that occurred which may have
contributed to or resulted in the
patient's death**

Reducing medication errors



Board

\$0

\$0

\$0

\$0

\$500

What is I?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$100

A common cause of medication errors for patients prescribed U-500 insulin is drawing up U-500 insulin in this syringe

Double check to protect



Board

\$0

\$0

\$0

\$0

\$100

What is a U-100 syringe?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

The WHO defines this as “the routine use of four or more over-the-counter, prescription and/or traditional medications at the same time by a patient”

Double check to protect



Board

\$0

\$0

\$0

\$0

\$200

What is polypharmacy?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$300

**According to the 2018-2019
ISMP Best Practices, this is
required to remind healthcare
professionals to verify an
appropriate oncological
indication for all daily oral
methotrexate orders**

Double check to protect



Board

\$0

\$0

\$0

\$0

\$300

**What is a hard stop
verification?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

In order to prevent potential medication errors, oral liquid medications that are not commercially available in unit dose packaging should be dispensed by the pharmacy in this form per the ISMP Best Practices

Double check to protect



Board

\$0

\$0

\$0

\$0

\$400

What is an oral or ENFit syringe?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$500

**A breakdown in this activity
is cited as one of the most
common root cause of
sentinel events**

Double check to protect



Board

\$0

\$0

\$0

\$0

\$500

What is communication?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$100

**<USP 800> updates will be
in effect on this date**

<USP 800>



Board

\$0

\$0

\$0

\$0

\$100

What is December 1st 2019?



Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**Containment secondary
engineering control used for
compounding sterile and
nonsterile hazardous drugs
must have this type of
ventilation**

<USP 800>

Board

\$0

\$0

\$0

\$0

\$200

What is external?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$300

**Environmental wipe sampling
for hazardous drug surface
residue should be performed
this frequently**

<USP 800>



Board

\$0

\$0

\$0

\$0

\$300

**What is initially as a
benchmark and at least every
6 months, or more often as
needed, to verify
containment?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

If no permeation information
is available for the gowns
used, change them ____ or
____ after a spill or splash

<USP 800>

Board

\$0

\$0

\$0

\$0

\$400

What is every 2–3 hours and immediately?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$500

**Antineoplastic hazardous
drugs requiring
manipulation must be
stored in a room with this
many air changes per hour**

<USP 800>



Board

\$0

\$0

\$0

\$0

\$500

What is 12?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$100

**This is a national vaccine
safety surveillance program
co-sponsored by the FDA
and the CDC**

Potpourri



Board

\$0

\$0

\$0

\$0

\$100

What is the Vaccine Adverse Event Reporting System?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**Vitamin B1 can be given to
chronic alcohol users to
prevent this syndrome**

Potpourri



Board

\$0

\$0

\$0

\$0

\$200

What is Wernicke-Korsakoff syndrome?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$300

**This is a person who has
successfully completed an
authorized Opioid Overdose
Prevention Training Program
offered by an authorized Opioid
Overdose Prevention Program**

Potpourri



Board

\$0

\$0

\$0

\$0

\$300

What is a Trained Overdose Responder?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**The U.S. National Library of
Medicine developed this
website to help quickly
identify medications by their
appearance and ingredients**

Potpourri



Board

\$0

\$0

\$0

\$0

\$400

What is the Pillbox?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$500

**Crotalidae polyvalent
immune FAB (ovine)
(CroFab®) is used to treat
these three venomous
snakes**

Potpourri



Board

\$0

\$0

\$0

\$0

\$500

**What are rattlesnakes,
copperheads, and
cottonmouths (water
moccasins)?**

Board

\$0

\$0

\$0

\$0

DAILY DOUBLE

Enter your wager:

\$

600

Go!

Squeaky clean!	Stop the bugs!	Learning the lingo	USP <797>	911	Hodgepodge
\$200	\$200	\$200	\$200	\$200	\$200
\$400	\$400	\$400	\$400	\$400	\$400
\$600	\$600	\$600	\$600	\$600	\$600
\$800	\$800	\$800	\$800	\$800	\$800
\$1000	\$1000	\$1000	\$1000	\$1000	\$1000

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**Four specific categories of
compounding sterile
products are described in
this USP <797> chapter**

Squeaky clean!



Board

\$0

\$0

\$0

\$0

\$200

What is low-risk level,
medium-risk level, and high-
risk level, and immediate
use?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**The area with a lower
pressure than the adjacent
spaces and therefore, the
net flow of air is into the
room**

Squeaky clean!



Board

\$0

\$0

\$0

\$0

\$400

What is a negative pressure room?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$600

Beyond-use-date for water-containing semisolid formulations

Squeaky clean!



Board

\$0

\$0

\$0

\$0

\$600

What is 30 days?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$800

**Maximum storage period for
medium-risk compounded
sterile preparations in the
refrigerator**

Squeaky clean!



Board

\$0

\$0

\$0

\$0

\$800

What is 3 days?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$1000

**Incubation period for malt
extract agar or other
suitable fungal media
samples**

Squeaky clean!



Board

\$0

\$0

\$0

\$0

\$1000

What is 5 to 7 days?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

A situation in which a sufficient proportion of a population is immune to an infectious disease (through vaccination and/or prior illness) to make its spread from person to person unlikely

Stop the bugs!



Board

\$0

\$0

\$0

\$0

\$200

**What is community immunity
or herd immunity?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**This drug is a combination
of two HIV medicines and is
approved for daily use in
pre-exposure prophylaxis**

Stop the bugs!



Board

\$0

\$0

\$0

\$0

\$400

**What is emtricitabine and
tenofovir disoproxil fumarate
(Truvada®)?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$600

**Post-exposure prophylaxis
should begin within ____ but
not beyond ____ after a
potential exposure to HIV**

Stop the bugs!



Board

\$0

\$0

\$0

\$0

\$600

**What is 36 hours and 72
hours?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$800

The practice of providing individuals with chlamydia medication or a prescription to deliver to their sexual partner(s) as presumptive treatment for chlamydia, without completing a clinical assessment of those partners

Stop the bugs!



Board

\$0

\$0

\$0

\$0

\$800

What is the expedited partner therapy?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$1000

**The three directories the
Department offers to
identify sharps collection
sites across NYS
communities**

Stop the bugs!



Board

\$0

\$0

\$0

\$0

\$1000

**What are the hospital sharps
directory, nursing home
sharps directory, and
alternative collection site
directory?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**These are the five rights to
reduce medication error and
harm**

Learning the lingo



Board

\$0

\$0

\$0

\$0

\$200

**What is the right patient, right
drug, right dose, right route,
and right time?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**The Joint Commission created
this list to eliminate the use of
dangerous abbreviations,
acronyms, symbols and dose
designations**

Learning the lingo



Board

\$0

\$0

\$0

\$0

\$400

What is the Do Not Use list?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$600

Sustained-release, extended-release, slow-release, and long-acting are some medication examples that belong on this list by the ISMP

Learning the lingo



Board

\$0

\$0

\$0

\$0

\$600

What is the Do Not Crush list?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$800

**This list contains abbreviations,
symbols, and dose designations
which have been reported
through the ISMP as being
frequently misinterpreted and
involved in harmful medication
errors**

Learning the lingo



Board

\$0

\$0

\$0

\$0

\$800

**What is the Error-Prone
Abbreviations list?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$1000

**This list is another name for
the look-alike and sound-
alike name pairs of
medications**

Learning the lingo



Board

\$0

\$0

\$0

\$0

\$1000

**What is the Confused Drug
Names list?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**Prior to gowning up, hands
should be washed
vigorously for this long**

USP <797>



Board

\$0

\$0

\$0

\$0

\$200

What is at least 30 seconds?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**This is the process of
destroying fungi, viruses,
and bacteria on inanimate
surfaces and objects**

USP <797>

Board

\$0

\$0

\$0

\$0

\$400

What is disinfecting?

Board



\$0



\$0



\$0



\$0



\$600

This is a test used to qualify aseptic technique of compounding personnel or processes, and to ensure the processes used can produce a sterile product without microbial contamination

USP <797>



Board

\$0

\$0

\$0

\$0

\$600

What is a media-fill test?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$800

**USP <797> was first
introduced in this year**

USP <797>



Board

\$0

\$0

\$0

\$0

\$800

What is 2004?

A critical area within the ISO Class 5 primary engineering control where critical sites are exposed to unidirectional HEPA-filtered air, also known as first air

Board

\$0

\$0

\$0

\$0

\$1000

**What is a direct compounding
area?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

**Acetylcysteine (Acetadote®)
is used to treat the
overdose of this medication**

Board

\$0

\$0

\$0

\$0

\$200

**What is acetaminophen
(Tylenol®)?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**Reversal agent for diazepam
(Valium®)**

Board

\$0

\$0

\$0

\$0

\$400

**What is flumazenil
(Romazicon®)?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$600

The Poison Control Center's phone number

911



Board

\$0

\$0

\$0

\$0

\$600

What is 1-800-222-1222?

**Centruroides immune
F(ab')₂ (equine) (Anascorp®)
can be used when a person
has been stung by this**

Board

\$0

\$0

\$0

\$0

\$800

What is a scorpion?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$1000

**1 mg of protamine
neutralizes approximately
_____ of heparin**

Board

\$0

\$0

\$0

\$0

\$1000

What is 100 units?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$200

The formal process for creating a complete and accurate list of a patient's current medication list and comparing it to their record or medication orders

Hodgepodge



Board

\$0

\$0

\$0

\$0

\$200

**What is medication
reconciliation?**

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$400

**This NYS law allows people to
call 911 without fear of arrest if
they are having a drug or
alcohol overdose that requires
emergency medical care or if
they witness someone
overdosing**

Hodgepodge



Board

\$0

\$0

\$0

\$0

\$400

What is the 911 Good Samaritan law?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$600

**This is defined as the science
and activities relating to the
detection, assessment,
understanding and prevention
of adverse effects or any other
drug-related problem**

Hodgepodge



Board

\$0

\$0

\$0

\$0

\$600

What is pharmacovigilance?

Board



\$0



\$0



\$0



\$0



\$800

“A situation in which there is a reasonable probability that the use of or exposure to a violative product will cause serious adverse health consequences or death”

Hodgepodge



Board

\$0

\$0

\$0

\$0

\$800

What is a Class I recall?

Board

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

✓ \$0 ✗

\$1000

**The goal of this body is to
maximize the safe use of
medications and to increase
awareness of medication errors
through open communication,
increased reporting, and
promotion of medication error
prevention strategies**

Hodgepodge

Board

\$0

\$0

\$0

\$0

\$1000

What is The National Coordinating Council for Medication Error Reporting and Prevention?

Board

\$0

\$0

\$0

\$0

DAILY DOUBLE

Enter your wager:

\$

55

Go!

Board

\$0

\$0

\$0

\$0

DAILY DOUBLE

Enter your wager:

\$

1000

Go!

Board

\$0

\$0

\$0

\$0

Controlled substances

The three prescription
controlled substance
collection options available
to authorized collectors in
NY to safely dispose unused
medications by consumers

Reveal Prompt

Reveal Response

**What are the NYS medication
drop box programs/collection
receptacles, take-back
events, and mail-back
programs?**